EXAMINER INITIAL

ANH

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

DATE

09-1994

ATTY, DOCKET NO. MAXIM.26C3

APPLICATION NO. Unknown

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

DOCUMENT NUMBER

5,348,739

Hellstrand, et al. FILING DATE February 12, 2002

APPLICANT

Hellstrand et al.

Unknown 1642 **GROUP**

_	U.S. PATENT DOCUMENTS					
Ī	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)		

			FOREIGN PATENT DOCUMENTS				
	DATE		COUNTRY	CLASS	SUBCLASS	TRANSLATION	
EXAMINER INITIAL	DOCUMENT NUMBER	DATE				YES	NO
ATIL	JP 7-165582	06/27/95	Japan (with English translation in 15 pages)				
(D) II	WO 93/24144	12/09/93	Patent Cooperation Treaty				 -
1 1 1 1	0 247 613 A2	12/02/87	European Patent Office				
		—					<u></u>

EXAMINER	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)
MIH	Abrams, et al., "Compared Mechanisms of Tumor Cytolysis by Human Natural Killer Cells and Activated Polymorphonuclear Leukocytes," <i>The Journal of Immunology</i> 132: No. 6, 3192-3196, June 1984.
MI	Abrams, et al., "igh-Dose Recombinant Interleukin-2 Alone: A Regimen Will Limited Activity in an arrange of the National Cancer Institute, 82: No. 14, 1202-1206, July 18, 1990.
11001	Alam, et al., "Comparative Effect of Recombinant IL-1, -2, -3, -4, and -6, 1747, Grandocyte Manuel From Stimulating Factor, Tumor Necrosis Factor-, and Histamine-Releasing Factors on the Secretion of Histamine From Stimulating Factor, Tumor Necrosis Factor-, and Histamine-Releasing Factors on the Secretion of Histamine From Stimulating Factor, Tumor Necrosis Factor-, and Histamine-Releasing Factors on the Secretion of Histamine From Stimulating Factor, Tumor Necrosis Factor-, and Histamine-Releasing Factors on the Secretion of Histamine From Stimulating Factor, Tumor Necrosis Factor-, and Histamine-Releasing Factors on the Secretion of Histamine From Stimulating Factor, Tumor Necrosis Factor-, and Histamine-Releasing Factors on the Secretion of Histamine From Stimulating Factors, Tumor Necrosis Factor-, and Histamine-Releasing Factors on the Secretion of Histamine From Stimulating Factor-, and Histamine-Releasing Factor-, and Histamine-Releasi
	Abrams, et al., "Compared Mechanisms of Tumor Cytolysis by Human Natural Kiner Cens and The Journal of Immunology 132: No. 6, 3192-3196, June 1984.
	Abrams, et al., "igh-Dose Recombinant Interleukin-2 Alone: A Regimen with Limited Activity in the Activity in
MI	Alam, et al., "Comparative Effect of Recombinant IL-1, -2, -3, -4, and -6, IFN-, Granulocyte-Macrophage From Stimulating Factor, Tumor Necrosis Factor-, and Histamine-Releasing Factors on the Secretion of Histamine From Stimulating Factor, Tumor Necrosis Factor-, and Histamine-Releasing Factors on the Secretion of Histamine From Stimulating Factor, Tumor Necrosis Factor-, and Histamine-Releasing Factors on the Secretion of Histamine From Stimulating Factor, Tumor Necrosis Factor-, and Histamine-Releasing Factors on the Secretion of Histamine From Stimulating Factor, Tumor Necrosis Factor-, and Histamine-Releasing Factors on the Secretion of Histamine From Stimulating Factor, Tumor Necrosis Factor-, and Histamine-Releasing Factors on the Secretion of Histamine From Stimulating Factors, Tumor Necrosis Factor-, and Histamine-Releasing Factors on the Secretion of Histamine From Stimulating Factors, Tumor Necrosis Factor-, and Histamine-Releasing Factors on the Secretion of Histamine From Stimulating Factors, Tumor Necrosis Factor-, and Histamine-Releasing Factors on the Secretion of Histamine From Stimulating Factors, Tumor Necrosis Factor-, and Histamine-Releasing Factor-, and Histamine-, and Histamine-Releasing Factor-, and Histamine-, and Histamine-, and Histamine-, a
M217	Baker, et al., "Chondrocyte Antioxidant Defenses: The Roles of Catalase and Glutathion of Proteoglycan Biosynthesis," The Journal of Rheumatology, 15: No. 4, 670-677, Against H ₂ O ₂ Dependent Inhibition of Proteoglycan Biosynthesis," The Journal of Rheumatology, 15: No. 4, 670-677,
ANT	1988. Barna, et al., "Tumor-Enhancing Effects of Cimetidine," Oncology, 40: 43-45, (1983).
Azt	Barna, et al., "Tumor-Elliateting Effects of Gamman and Inflammatory Responses, Advances in Immunology, 35: 209-268 (1984).

EX		IIAI	
	MIN	шч	ᄃ

DATE CONSIDERED

FORM P	TO-1449
--------	---------

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY, DOCKET NO. MAXIM.26C3

APPLICATION NO. Unknown

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

APPLICANT Hellstrand, et al.

FILING DATE February 12, 2002 GROUP Unknown

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)
	Brune, et al., "Remission maintenance therapy with histamine and interleukin-2 in acute myelogenous leukaemia," British Journal of Haematology, 92:620-626 (1996).
A114	Budd, et al., "Phase I Trial of High-Dose Bolus Interleukin-2 and Interferon Alfa-2a in Patients With Metastatic Malignancy," Journal of Clinical Oncology, 10: No. 5, 804-809, May 1992.
MH	Burtin, et al., "Clinical Improvement in Advanced Cancer Disease After Treatment Combining Histamine and H2-Antihistaminics" (Ranitidine or Cimetidine), Accepted June 1987.
	Burtin, et al., "The Influence of Intraperitoneal Injections of Histamine on Tumour Growth in Fibrosarcoma-Bearing Mice", Cancer Letters, 12: 195-201, (1981).
	Chaudhri, et al., "Antioxidants Inhibit Proliferation and Cell Surface Expression of Receptors for Interleukin-2 and Transferrin in T Lympohocytes Stimulated with Phorbol Myristate Acetate and Ionomycin" Cellular Immunology, 115:204-213 (1988).
MZH	Chehimi, et al., "Natural Killer (NK) Cell Stimulatory Factor Increases the Cytotoxic Activity of NK Cells from Both Healthy Donors and Human Immunodeficiency Virus-infected Patients," <i>Journal of Experimental Medicine</i> , 175: 789-796, March 1992.
AUH	Ching, et al., "In vitro Methods for Screening Agents with an Indirect Mechanism of Antitumour Activity: Xanthenone Analogues of Flavone Acetic Acid," Eur. J. Cancer, 27: No. 12, 1684-1689, 1991.
M	Ching, et al., "Induction of Natural Killer Activity by Xanthenone Analogues of Flavone Acetic Acid: Relation with Antitumour Activity," Eur. J. Cancer, 27: No. 1, 79-83, 1991.
ALI	Damia, et al., "Flavone acetic acid antitumour activity against a mouse pancreatic adenocarcinoma is mediated by natural killer cells," Cancer Immunol Immunother, 32: 241-244, 1990.
Davies, et al., "Interactions between human monocytes and tumor cells. Monocytes can either enhance or inhibition growth and survival of K562 Cells," November 1991.	
ArH	Dempsey, et al., "The Differential Effects of Human Leukocytic Pyrogen/Lymphocyte-Activating Factor, T Cell Growth Factor, and Interferon on Human Natural Killer Activity," <i>The Journal of Immunology</i> , May 17, 1982.
Alt	Dillman, et al., "Continuous Interleukin-2 and Lymphokine-Activated Killer Cells for Advanced Cancer: A National Biotherapy Study Group Trial," <i>Journal of Clinical Oncology</i> , 9: No. 7, 1233-1240, July 1991.
AUt	Dilman, et al., Decombinant Interleukin-2 and Adoptive Immunotherapy Alternated with Dacarbazine Therapy in Melanoma: A National Biotherapy Study Group Trial, Journal of the National Cancer Institute, 82: No. 16, 1345-1348, August 15, 1990.
AUH	Dohlsten, et al., "Histamine Inhibits Interferon- Production via Suppression of Interleukin 2 Synthesis," Cellular Immunology, 101: 493-501, 1986.
AUL	Dröge, et al., "Effect of Reactive Oxygen Intermediates and Antixidants on Proliferation and Function of T Lymphocytes" <i>Methods in Enzymology</i> , 234:135-151 (1994).
MUH	Dröge, et al., Histamine Augments Interleukin-2 Production and the Activation of Cytotoxic T Lymphocytes, Immunopharmacology, 11: 1-6, 1986.
MUL	Dutcher, et al., "A Phase II Study of High-Dose Continuous Infusion Interleukin-2 With Lymphokine-Activated Killer Cells in Patients With Metastatic Melanoma," <i>Journal of Clinical Oncology</i> , 9: No. 4, 641-648, April 1991

	EXAMINER	DATE CONSIDERED
1		L

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

ATTY, DOCKET NO. MAXIM.26C3	APPLICATION NO. Unknown	
APPLICANT Hellstrand, et al.		
FILING DATE February 12, 2002	GROUP Unknown	<u>-</u>

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)
ArH	Duwe, et al., "Natural Killer Cell-Mediated Lysis Involves an Hydroxyl Radical-Dependent Step," The Journal of Immunology, 134: No. 4, 2637-2644, April 1985.
AZH	El-Hag, et al., "Down-Regulation of Human Natural Killer Activity Against Tuniols by the Technology Myeloperoxidase System and Hydrogen Peroxide," <i>The Journal of Immunology</i> 133: No. 6, 3291-3297, December
10 ()	Froelich, et al., "Induction of lymphokine activated killer cells in serum-free medium" Journal of Immunological Methods, 86:205-211, No. 2 (1986).
All	Galligioni, "Natural killer (NK) and lymphokine activated killer (LAK) cell activity in patients (178) dealer with a cell (EAA)." Appals of Oncology, 2: 145-150, 1991.
	William de "Piograpio Amines in the Regulation of Human Natural Killer Cell Cytotoxicity, 1967.
/11/1	TV though et al. "Histominergic Regulation of NK Cells" Journal of Immunology, 153:4940-4947, No. 11 (1994).
AU	Hellstrand, et al., "A Cell-to-Cell Mediated Interaction Involving Monocytes and Non-17CD16" Natural Kine (NK) Research For Histography H. Receptor-Mediated NK-Cell Activation," Scand J. Immunol, 31: 631-644, 1990.
AUH	Hellstrand, et al., "Cell-to-Cell Mediated Inhibition of Natural Killer Cell Profileration by Workeyes and 18
MA	Hellstrand, et al., "Differential Effects of Histamine Receptor Antagonists on Human Natural Kiner Cent House, 84: 247-255, 1987.
AUH	Hellstrand, et al., "Enhancement of Human Natural Killer Cell Cytotoxicity by Sciolomii. Role of New York Hellstrand, et al., "Enhancement of Human Natural Killer Cell Cytotoxicity by Sciolomii. Role of New York Programme and S. H.T. Receptors." Cellular Immunology, 127: 199-214, 1990.
AN	Hellstrand, et al., "Histamine H ₂ -Receptor-Mediated Regulation of Human Natural Kiner Cent Activity," 1986
19214	Hellstrand, et al., "Monocyte-Induced Down-Modulation of CD16 and CD56 Antigens on Human Natural Anti-
AU	Hellstrand, et al., "Monocyte-Mediated Suppression of IL-2-Induced NK-Cell Activation, Scand 3. Induced, Co. 1999
AN	Hellstrand, et al., "Regulation of the Natural Killer Cell Response to Interferon- by Biogenic Ainlies," Journal of
MH	Hellstrand, et al., "Role of Histamine in Natural Killer Cell-Mediated Resistance Against Tulior Cens, The Journal of the No. 12 December 15, 1990
1704	Hellstrand, et al., "Role of Serotonin in the Regulation of Human Natural Killer Cell Cytotoxicity," The source of the Serotonia of Human Natural Killer Cell Cytotoxicity, The source of the Serotonia of Human Natural Killer Cell Cytotoxicity, The source of the Serotonia of Human Natural Killer Cell Cytotoxicity, The source of the Serotonia of Human Natural Killer Cell Cytotoxicity, The source of the Serotonia of Human Natural Killer Cell Cytotoxicity, The source of the Serotonia of Human Natural Killer Cell Cytotoxicity, The source of the Serotonia of Human Natural Killer Cell Cytotoxicity, The source of the Serotonia of Human Natural Killer Cell Cytotoxicity, The source of the Serotonia of the
AH	Hellstrand, et al., "Serotonergic 5-HT _{IA} Receptors Regulate a Cell Contact-Mediated Interaction between Natural Kille
11,000	It is used at al. "Histomineraic Regulation of NK Cells" Journal of Immunology, 133.4340-4347, 168.
AU	Hellstrand, et al., "Istantine go regarded Hellstrand, et al., "Suppression of human natural killer cell cytotoxicity by interleukin-2," Clin. Exp. Immunol, 77: 410-416, 1989

	DATE CONSIDERED
EXAMINER	
	ATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NO

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY, DOCKET NO. MAXIM.26C3 APPLICATION NO. Unknown

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

APPLICANT Helistrand, et al.

FILING DATE February 12, 2002 GROUP Unknown

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)
Hellstrand, et al., "Synergistic Activation of Human Natural Killer Cell Cytotoxicity by Histamine and Interleukin-2," Int. Arch. Allergy Appl. Immunology, 92: 379-389, 1990.
Histamine augments interleukin-2 production and the activation of cytotoxic T lymphocytes, Chemical Abstracts, 104.
Hornung, et al., "Augmentation of Natural Killer Activity, Induction of IFN and Development Tumor Infinitity During the Successful Treatment of Established Murine Renal Cancer Using Flavone Acetic Acid and IL-2," The
Hypopler, et al. "Effect of Ascorbic Acid on Human Natural Killer Cells," Immunology Letters, 10, 175-176, 1965.
Ilson, et al., "A Phase II Trial of Interleukin-2 and Interferon Alfa-2a in Patients With Advanced Renal Cell
Wordell A Smith "Interleukin-2: Inception, Impact, and Implications," Science, 240: 1169-1176, May 27, 1966.
Kessel, et al., "Cytotoxicity by human adherent cells: oxygen-dependent and -independent cytotoxic reactions by
Khoo, et al., "Immunotherapy of mammary adenocarcinoma metastases in C3H/HeN mice with chronic administration of such asymptomic inhibitors alone or in combination with IL-2," Clin. Exp. Metastasis, 10: 239-252, 1992.
Krigel, et al., "enal Cell Carcinoma: Treatment With Recombinant Interleukin-2 Plus Beta-Interferon, Journal of
Lasek, et al., "Potentiation of antitumor effects of tumor necrosis factor \(\forall \) and interferon (by macrophage-colory-large factor in a MnR16 melanoma model in mice" Cancer Immunol Immunother 40:315-321 (1995).
Lespinatas, et al., "Enhancement by serotonin of intra-tumour penetration of spleen cells," Br. J. Cancer, 50. 545-547
Los, et al., "Hydrogen peroxide as a potent activator of T lymphocyte functions" Eur. Journal of Immunology, 23:139
Lotze, et al., "Interleukin 2 as a Pharmacologic Reagent, Chapter 12 from the National Institutes of Health," October
Malech, et al., "Peptide derivative cytochrome inhibit enzyme system oxidation burst phagocyte cell inflammation
Mavligit, et al., "plenic Versus Hepatic Artery Infusion of Interleukin-2 in Patients with Liver Metastases, Journal of
Mertens, et al., "Sustained Indomethacin and Ranitidine with Intermittent Continuous Infusion Interieurni-2 in Mertens, et al., "Sustained Indomethacin and Ranitidine with Intermittent Continuous Infusion Interieurni-2 in Mertens, et al., "Sustained Indomethacin and Ranitidine with Intermittent Continuous Infusion Interieurni-2 in Mertens, et al., "Sustained Indomethacin and Ranitidine with Intermittent Continuous Infusion Interieurni-2 in Mertens, et al., "Sustained Indomethacin and Ranitidine with Intermittent Continuous Infusion Interieurni-2 in Mertens, et al., "Sustained Indomethacin and Ranitidine with Intermittent Continuous Infusion Interieurni-2 in Mertens, et al., "Sustained Indomethacin and Ranitidine with Intermittent Continuous Infusion Interieurni-2 in Mertens, et al., "Sustained Indomethacin and Ranitidine with Intermittent Continuous Infusion Interieurni-2 in Mertens, et al., "Sustained Indomethacin and Ranitidine with Interieurni-2 in Mertens, et al., "Sustained Interieurni-2 in
Middleton, et al., "Effects of Flavonoids on Immune and Inflammatory Cell Functions," Biochemical Functions, 1179, 1992
Munakata, et al., "Induction of Interferon- Production by Human Natural Killer Cells Stimulated by Hydrogen Peroxide," <i>The Journal of Immunology</i> , 134: No. 4, 2449-2455, April 1985.

E	DATE CONSIDERED
EXAMINER	TO USE A TION IS NOT

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE ATTY, DOCKET NO. MAXIM.26C3

APPLICANT

APPLICATION NO. Unknown

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

Hellstrand, et al. FILING DATE

February 12, 2002

GROUP Unknown

	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)
EXAMINER INITIAL	
MUH	Nabil Hanna, "The Role of Natural Killer Cells in the Control of Tumor Growth and Metastasis," Biochimica et Biophysica Acta, 780: 213-226, 1985.
Aut	Nair, et al., "Histamine-Induced Suppressor Factor Inhibition of NK Cells: Reversal with Interferon and Interfe
1)0(,	Novogrodsky, et al., "Hydroxyl radical scavengers inhibit lymphocyte mitogenesis" 1700. Nam 1700.
AU	Okamoto, et al., "Possible involvement of adenosine 3':5'-cyclic monophosphate and extracential calculations in Okamoto, et al., "Possible involvement of adenosine 3':5'-cyclic monophosphate and extracential calculations in Okamoto, et al., "Possible involvement of adenosine 3':5'-cyclic monophosphate and extracential calculations in Okamoto, et al., "Possible involvement of adenosine 3':5'-cyclic monophosphate and extracential calculations in Okamoto, et al., "Possible involvement of adenosine 3':5'-cyclic monophosphate and extracential calculations in Okamoto, et al., "Possible involvement of adenosine 3':5'-cyclic monophosphate and extracential calculations in Okamoto, et al., "Indiana calc
AZH	Osband, et al., "Successful Tumour Immunotherapy with Cimetidine in Mice, The Lancer, No. 6221, 10
A214	Østensen, et al., "Enhancement of Human Natural Killer Cell Function by the Combined Effects of Tumor Necrosis Ostensen, et al., "Enhancement of Human Natural Killer Cell Function by the Combined Effects of Tumor Necrosis Ostensen, et al., "Enhancement of Human Natural Killer Cell Function by the Combined Effects of Tumor Necrosis Ostensen, et al., "Enhancement of Human Natural Killer Cell Function by the Combined Effects of Tumor Necrosis
1921+	Phillips, et al., "Activation of Natural Killer Cells via the p/5 interieukin 2 Receptor, 3. Exp. Metal, 100 phillips, et al., "Activation of Natural Killer Cells via the p/5 interieukin 2 Receptor, 3. Exp. Metal, 100 phillips, et al., "Activation of Natural Killer Cells via the p/5 interieukin 2 Receptor, 3. Exp. Metal, 100 phillips, et al., "Activation of Natural Killer Cells via the p/5 interieukin 2 Receptor, 3. Exp. Metal, 100 phillips, et al., "Activation of Natural Killer Cells via the p/5 interieukin 2 Receptor, 3. Exp. Metal, 100 phillips, et al., "Activation of Natural Killer Cells via the p/5 interieukin 2 Receptor, 3. Exp. Metal, 100 phillips, et al., "Activation of Natural Killer Cells via the p/5 interieukin 2 Receptor, 3. Exp. Metal, 100 phillips, et al., "Activation of Natural Killer Cells via the p/5 interieukin 2 Receptor, 3. Exp. Metal, 100 phillips, et al., "Activation of Natural Killer Cells via the p/5 interieukin 2 Receptor, 3. Exp. Metal, 100 phillips, et al., "Activation of Natural Killer Cells via the p/5 interieukin 2 Receptor, 3. Exp. Metal, 100 phillips, et al., "Activation of Natural Killer Cells via the p/5 interieukin 2 Receptor, 3. Exp. Metal, 100 phillips, et al., "Activation of Natural Killer Cells via the p/5 interieukin 2 Receptor, 3. Exp. Metal, 100 phillips, et al., "Activation of Natural Killer Cells via the p/5 interieukin 2 Receptor, activation of Natural Killer Cells via the p/5 interieukin 2 Receptor, activate 2 Receptor, activate 2 Receptor, activate 3
AU	Pignol, et al., "Role of Flavonoids in the Oxygen-Free Radical Modulation of the Infinite Response, "Participal Visiting II. Pinchemical Cellular 173-182, 1988.
AN	Rabilloud, et al., "Deficiency in Catalase Activity Correlates with the Appearance of Tumor Phenotype in Human
Aut	Richtsmeier, et al., "Selective, Histamine-Mediated Immunosuppression in Laryngeal Cancer," Ann Otol Rhinol
ANA	Rosenberg, "The Development of New Immunotherapies for the Treatment of Cancer Using Interieurin-2, Annual of
Mu	Roth, et al., "Inhibition of Lymphokine-activated Killer Cell Function by Human Alveolar Macrophages,"
MU	Saarloos, et al., "Effects of Cancer Immunotherapy with Indomethacin and Interfedent 2 of Market 2 of
MH	Saarloos, et al., "Effects of histamine type-2 receptor antagonists on indomethacin and IL-2 immunotile apy of
And	Salup, et al., "Chemoimmunotherapy of Metastatic Murine Renal Cell Carchiolita Using Flavore 147: 1120-1123. April 1992.
194	Schantz, et al., "A phase II study of interleukin-2 and interferon-alpha in head and neck cancer," Investigation
Au	Schleimer, et al., "Regulation of Human Basophil Mediator Release by Cytokines," The Journal of Immunology, 143:
AZH	S Netwel Willing in Vitro by Monocytes and Polymorphonuclear Leukocytes," The
	Journal of Chile investigation, 52.5.5.5.

EXAMINER
EVVIAILMEL

DATE CONSIDERED

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY.	DOCKET	NO
MAX	IM.26C3	

APPLICATION NO. Unknown

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(USE SEVERAL SHEETS IF NECESSARY)

APPLICANT	
Helistrand, et al.	

FILING DATE February 12, 2002 GROUP Unknown

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)
A14	Shau, et al., "Inhibition of Lymphokine-Activated Killer- and Natural Killer-Mediated Cytotoxicities by Neutrophils," The Journal of Immunology, 143: No. 3, 1066-1072, August 1989.
A21+	Siegel, et al., "The IL-2 Receptor Chain (p70): Role in Mediating Signals for LAK, NK, and Proliferative
MH	Sleijfer, et al., "Phase II Study of Subcutaneous Interleukin-2 in Unselected Patients With Advanced Renal Cell Cancer on an Outpatient Basis." Journal of Clinical Oncology, 10: No. 7, 1119-1123, July 1992.
AH	Sone, et al., "Tumor cytotoxicity and interleukin 1 production of blood monocytes of lung cancer patients" Cancer Immunol Immunother, 30:357-362 (1990).
MIH	Stoter, et al., "Sequential Administration of Recombinant Human Interleukin-2 and Dacarbazine in Metastatic Melanoma: A Multicenter Phase II Study." <i>Journal of Clinical Oncology</i> , 9: No. 9, 1687-1691, September 1991.
ALIH	Suthanthiran, et al., "Hydroxyl radical scavengers inhibit human natural killer cell activity," Nature 307: 276-278,
17W	Szatrowski, et al., "Production of Large Amounts of Hydrogen Peroxide by Human Tumor Cells," Cancer Research,
MIA	Tel-Or, et al., "Hydeoperoxide Metabolism in Cyanobacteria," Archives of Biochemistry and Biophysics, 246: No. 1,
AH	Thompson, et al., "Prolonged Continuous Intravenous Infusion Interleukin-2 and Lymphokine-Activated Killer-Cell Thompson, for Metastatic Renal Cell Carcinoma," <i>Journal of Clinical Oncology</i> , 10: No. 6, 960-968, June 1992.
MH	Thornes, et al., "Combination of Cimetidine with other Drugs for Treatment of Cancer," New England Journal of Medicine 308: 591-592. March 10, 1983.
TO TO	Tom Smith, MD, "Histamine Type 2-Receptor Antagonists and Cancer Immunotherapy," Comprehensive Therapy, 16: No. 1, 8-13, 1990.
MH	Trizzi, et al., "Immunological Effects of Flavone Acetic Acid," Cancer Research, 50: 6483-6485, October 15, 1990.
1217	Urba, et al., "Enhancement of Natural Killer Activity in Human Peripheral Blood by Flavone Acetic Acid," The
A217	Weiss, et al., "A Randomized Phase II Trial of Continuous Infusion Interleukin-2 or Bolus Injection Interleukin-2 Plus Lymphokine-Activated Killer Cells for Advanced Renal Cell Carcinoma," <i>Journal of Clinical Oncology</i> , 10: No. 2, 275-281. February 1992.
AH	Whitacre, et al., "Oxygen Free Radical Generation and Regulation of Proliferative Activity of Human Mononuclear Cells Responding to Different Mitogens." Cellular Immunology, 144: 287-295, 1992.
ALIL	Wiltrout, et al., "Flavone-8-Acetic Acid Augments Systemic Natural Killer Cell Activity and Synergizes with IL-2 for Treatment of Murine Renal Cancer," <i>The Journal of Immunology</i> , 140: No. 9, 3261-3265, May 1, 1988.

S:\DOCS\JJM\JJM-3822.DOC 051500 S:\DOCS\MKD\MKD-2500.DOC 021202

EXAMINER

DATE CONSIDERED

	-					SHEET 1 OF
FORM P		T OF COMMERCE ADEMARK OFFICE	ATTY. DOCKET NO. MAXIM.026C3	APPLIC/ 10/076	ATION NO. ,306	
INFO	DRMATION DISCLOSURE STATE BY APPLICANT PE	MENT	APPLICANT Hellstrand et al.			
(US	E SEVERO SHEETS IF NEWS	SARY)	FILING DATE February 12, 2002	GROUP 1642		
	FEB TANKE		U.S. PATENT DOCUMENTS			· · · · · · · · · · · · · · · · · · ·
EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)
1		1				

		FOREIG	GN PATENT DOCUMENTS				
EXAMINER	DOCUMENT NUMBER	DATE	COUNTRY	CLASS SUBCLAS	SUBCLASS	TRANSLATION	
INITIAL						YES	NO
				_			
						_	
		 			 		

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)				
M	1	Bacon et al. (1995) Interleukin 12 (IL-12) induces tyrosine phosphorylation of JAK2 and TYK2: differential use of Janus family tyrosine kinases by IL-2 and IL-12. Journal of Experimental Medicine. 181:399-404.			
MH	2	Nelson et al. (1998) Biology of the interleukin-2 receptor. Advances in Immunology. 70:1-81.			
AUK	3	Presky et al. (1996) A functional interleukin 12 receptor complex is composed of two β-type cytokine receptor subunits. Proc. Natl. Acad. Sci. 93:14002-14007.			
AU	4	Wolf et al. (1991) Cloning of cDNA for natural killer cell stimulatory factor, a heterodimeric cytokine with multiple biologic effects on T and natural killer cells. Journal of Immunology. 146(9):3074-3081.			

S:\DOCS\MKD\MKD-4082.DOC\021904

EXAMINER	amel Hollian	DATE CONSIDERED	9/30	7804
	NITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION I			